



# SOLUTIONS

SEALERS FOR STONE & TILE

The Next Generation of Stone Care Products

NATIONAL PH: 1300 4 STONE

Ph. + 61 7 5437 7714

Fax: + 61 7 5437 7715

E: info@solutionssealers.com.au

W: www.solutionssealers.com.au

ABN: 25 128 656 082


Manufacturers of BIO-SAFE Technology

## Technical Data Sheet:

# PROTEX BIO-SAFE™

## NATURAL STONE SEALER

---



### Description:

**PROTEX BIO-SAFE™** Stone Sealer is a specialized penetrating sealer for treating low absorptive surfaces such as polished porcelain tile. The small molecular structure of this Bio-Safe™ Technology sealer means that it penetrates into the microscopic pores of the tile and repels water and oil borne stains.

---

### Advantages:

- Suitable for internal and external use.
  - GECA Approved. <http://www.geca.org.au/product-solutionsSealers.htm>
  - Invisible, impregnating material.
  - Creates an excellent barrier against stains
  - Allows tile to breathe.
  - Makes routine cleaning easier.
  - Very fine molecules, leaving little or no residue on the surface after sealing.
  - Non-ozone depleting.
  - Natural fragrance while sealing.
- 

### Characteristics:

Colour:	Clear
Weight:	0.86
Solvent:	Hydrocarbon
DG Class:	3
U.N Number:	1263
Coverage	20 - 50 sq m per lt (depending on porosity)

---

### Recommendations:

Polished Marble  
Polished Granite  
Polished Limestone  
Polished Porcelain Stoneware  
Natural Porcelain Stone

---

#### Disclaimer – User Guide

*Solutions - Sealers for Stone & Tile believes the information contained in this document is accurate as **general advice only**. As general advice only it has been prepared without taking into account the objectives, problems or needs of the reader. Solutions – Sealers for Stone & Tile has presented this information as a guide only and accepts no liability for any loss or damage caused by any error in, or omission from, this document. Solutions – Sealers for Stone & Tile has no control over the use or misuse of this product, therefore no warranty expressed or implied shall be given. Solutions – Sealers obligations shall be limited to only replacing product PROVEN defective. The user MUST educate themselves on the performance value, application rates, substrate type and environment before product is applied, a TEST area is always highly recommended.*